


# SAFETY DATA SHEET



## Section 1: Identification

<b>Product Identifier</b>		
<b>Product Name</b>	APEX Superlube® / Graphite Mix (50/47), (50/50), (67/28), (67/33)	
<b>Relevant identified uses of the substance or mixture and uses advised against</b>		
<b>Recommended use</b>	<b>Hazard Communication &amp; Compliance</b>	
<b>Details of the supplier of the safety data sheet</b>		
<b>Manufacturer</b>	APEX Advanced Technologies, LLC 4857-A West 130 <sup>th</sup> Street Cleveland OH 44135 United States	
<b>Emergency telephone number</b>		
<b>Manufacturer</b>	APEX Advanced Technologies, LLC	+1 (216) 898-1595
<b>Personal Emergency Response System – PERS</b>	EMERGENCY RESPONSE INFORMATION – ERI	USA & CANADA: 1-800-633-8253 INTERNATIONAL: 1-801-629-0667

## Section 2: Hazard Identification

<b>United States (US)</b>		
<b>According to OSHA 29 CFR 1910.1200 HCS</b>	APEX Superlube® / Graphite Mix (50/47), (50/50), (67/28), (67/33)	
<b>Classification of the substance or mixture</b>		
<b>OSHA HCS 2012</b>	<ul style="list-style-type: none"> <li>• H316: Causes mild skin irritation</li> </ul>	
<b>Label elements</b>		
<b>OSHA HCS 2012</b>	<b>WARNING</b>	
		
<b>Hazard statements</b>	<ul style="list-style-type: none"> <li>• H316: Causes mild skin irritation</li> <li>• H320: May cause eye irritation.</li> <li>• H335: May cause respiratory irritation.</li> </ul>	

<b>Precautionary statements</b>	<ul style="list-style-type: none"> <li>• P402+404: Store in a dry place. Store in a closed container</li> <li>• P403: Store in a well ventilated place.</li> <li>• P210: Keep away from heat, sparks, open flames and/or hot surfaces. No smoking.</li> </ul>
---------------------------------	---

# SAFETY DATA SHEET



	<ul style="list-style-type: none"> <li>P235: Keep cool.</li> </ul>
<b>Prevention</b>	
	<ul style="list-style-type: none"> <li>P261: Avoid breathing dust. [As modified by IV ATP]</li> </ul>
	<ul style="list-style-type: none"> <li>P264: Wash hands thoroughly after handling</li> </ul>
<b>Response</b>	
	<ul style="list-style-type: none"> <li>P370+P378: In case of fire: Use appropriate media for extinction.</li> </ul>
	<ul style="list-style-type: none"> <li>P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> </ul>
	<ul style="list-style-type: none"> <li>P312: Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>
	<ul style="list-style-type: none"> <li>P353: Rinse skin with water/shower.</li> </ul>
	<ul style="list-style-type: none"> <li>P332+P313: If skin irritation occurs: Get medical advice/attention.</li> </ul>
<b>Storage/Disposal</b>	
	<ul style="list-style-type: none"> <li>P402+404: Store in a dry place. Store in a closed container</li> </ul>
	<ul style="list-style-type: none"> <li>P403: Store in a well ventilated place.</li> </ul>
	<ul style="list-style-type: none"> <li>P210: Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.</li> </ul>
	<ul style="list-style-type: none"> <li>P235: Keep cool.</li> </ul>
<b>Other information</b>	
NFPA	

## Section 3 - Composition/Information on Ingredients

<b>Substances</b>		
	Material does not meet the criteria of a substance.	
<b>Mixtures</b>		
Component	CAS #	% by Wt.
Natural graphite	7782-42-5	30.0 – 60.0
Stearic Wax (mixture)	110-30-5	40.0 – 70.0
Olefin Wax	9002-88-4	15.0 – 20.0
Fatty Acid Mixture	143-07-7	10.0 – 15.0
Solid Saturated Hydrocarbons	68153-22-0	3.0 – 15.0
Petroleum Wax	64742-42-3	2.0 – 20.0

# SAFETY DATA SHEET



## Section 4: First-Aid Measures

<b>Description of first aid measures</b>	Call for emergency medical care. Keep victim warm and quiet. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Inhalation	Move patient to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.
Skin	Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. For minor skin contact, avoid spreading material on unaffected skin. Wash exposed area thoroughly with soap and water. Seek medical attention if irritation develops.
Eye	Exposed eyes should be irrigated with water for at least 20 minutes. Seek medical attention if irritation develops.
Ingestion	If swallowed, give 3-4 glasses of water but do not induce vomiting. If vomiting does occur, give fluids again. Get medical attention to determine whether vomiting or evacuation of the stomach is necessary. Do not give anything by mouth to an unconscious or convulsing person.
	Refer to Section 11 - Toxicological Information.
Notes to Physician	All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5: Fire-Fighting Measures

<b>Extinguishing Media</b>		
Suitable Extinguishing Media	Flammable Properties:	Not available
	Flammable Limits:	Not available
	Auto-ignition Temperature:	Not available
	Hazardous Combustion Products:	Not available
Extinguishing Media and Fire Fighting Instructions	Small fires:	Water, carbon monoxide, dry chemical powder, dry sand, or foam.
	Large Fires:	Water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do it without risk. Do not use straight streams. Dike fire control water for later disposal; do not scatter material.
		Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. Structural firefighters' protective clothing is recommended for fire situations ONLY; it is not effective in spill situations.

# SAFETY DATA SHEET



## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear appropriate protective equipment including respiratory protection as conditions warrant.
----------------------	---

### Methods and material for containment and cleaning up

Containment/Clean-up Measures	If material is released or spilled, use vacuum for clean up.
-------------------------------	--

## Section 7 - Handling and Storage

### Precautions for safe handling

Handling	Do not breathe dust. Avoid contact with eyes, skin and clothing.
----------	--

### Conditions for safe storage, including any incompatibilities

Storage	Keep container closed. Keep away from incompatible materials. Store in a cool, dry area away from ignition sources and oxidizers. Keep away from electrical circuits because natural graphite is a conductor.
---------	---

### Incompatible Materials or Ignition Sources

	Store in a cool, dry area away from ignition sources and oxidizers.
--	---

## Section 8 - Exposure Controls/Personal Protection

### Control parameters




Component	OSHA Hazardous Components (29 CFR1910.1200)		
	Exposure Limits		
	OSHA PEL	ACGIH TLV	NIOSH
Natural graphite	None	None	None
Stearic Wax (mixture)	None	None	None
Olefin Wax	None	None	None
Fatty Acid Mixture	None	None	None
Solid Saturated Hydrocarbons	None	None	None
Petroleum Wax	None	None	None

### Workplace Exposure Limits

Chemical specific exposure limits have not been established for the components of this material. However, due to the material's physical characteristics, it may become a nuisance dust hazard. The workplace exposure limits for nuisance dusts are:

- 15 mg/m<sup>3</sup> OSHA PEL (total particulates not otherwise classified)
- 5 mg/m<sup>3</sup> OSHA PEL (respirable fraction particulates not otherwise classified)
- 10 mg/m<sup>3</sup> ACGIH TLV (total particulates not otherwise classified)

# SAFETY DATA SHEET

<b>Exposure Controls</b>	
Engineering Measures/Controls	Local exhaust ventilation should be applied whenever there is an incidence of point source emissions or dispersion of regulated contaminants in the work area. Ventilation control of the contaminant as close to its point of generation is both the most economical and safest method to minimize personnel exposure to airborne contaminants.
Personal Protective Equipment	
Pictograms	  
Respiratory	Where exposure may exceed OSHA or ACGIH permissible air concentrations, a dust respirator is required.
Hands	Gloves are appropriate for exposure that exceeds permissible limits.
Eye/Face	Use chemical goggles where eye contact may occur.
General Industrial Hygiene	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.
Environmental Exposure Controls	Follow best practices for the site management and disposal of waste. Avoid release to the environment.

**Key to abbreviations**

ACGIH = American Conference of Governmental Industrial Hygiene  
 NIOSH = National Institute of Occupational Safety and Health  
 OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures  
 STEL = Short Term Exposure Limits are based on 15-minute exposures OSHA  
 STEV = Short Term Exposure Value

## Section 9 - Physical and Chemical Properties

<b>Material Description</b>			
Appearance/Description	Off Gray to Black powder	Particulate Size	Not relevant
Color	Off Gray to Black powder	Particulate Type	Not relevant
Odor	Odorless	Physical Form	Powder
Odor Threshold	N/A	Taste	Data lacking

<b>General Properties</b>			
Auto-ignition	N/A	Melting Point	100° C Initiation
Boiling Point	N/A	Octanol/Water Partition coefficient	Data lacking
Decomposition Temperature	150° C Initiation	pH	N/A
Evaporation Rate	N/A	Specific Gravity/Relative Density	1.49 – 1.59
Flammability (solid, gas)	N/A	Vapor Density	N/A
Flash Point	>180° C	Vapor Pressure	N/A
Heat of Decomposition		Viscosity	N/A
LEL	N/A	Water Solubility	Insoluble.

# SAFETY DATA SHEET



## Section 10 – Stability and Reactivity

<b>Chemical Stability</b>	Stable at room temperature
<b>Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>Possibility of hazardous reactions</b>	Oxidizers
<b>Incompatible materials</b>	N/A
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide. Other products may be generated. Use in well-ventilated areas and avoid breathing or contacting solid and gaseous products of decomposition.

## Section 11 - Toxicological Information

<b>Information on toxicological effects</b>	
Reported Human Effects: Products/Similar Product –	No human data are available for this product.
Reported Animal Effects: Products/Similar Product –	No animal data are available for this product.
<b>Ingredient Chemicals listed as carcinogens by:</b>	
National Toxicology Program (NTP):	None
LARC Monographs:	None
OSHA:	None
<b>Route(s) of entry/exposure</b>	Inhalation, Skin, Eye, Ingestion
Inhalation:	
<b>Acute (Immediate)</b>	May cause irritation as a nuisance dust
<b>Chronic (Delayed)</b>	No data available
Skin:	
<b>Acute (Immediate)</b>	May cause skin irritation
<b>Chronic (Delayed)</b>	No data available
Eye:	
<b>Acute (Immediate)</b>	May cause mild eye irritation
<b>Chronic (Delayed)</b>	No data available
Ingestion:	
<b>Acute (Immediate)</b>	Not expected to be toxic upon ingestion but may cause gastrointestinal symptoms.
<b>Chronic (Delayed)</b>	No data available

# SAFETY DATA SHEET



## Section 12 - Ecological Information

<b>Persistence and degradability</b>	Material data lacking
<b>Bio-accumulative potential</b>	Material data lacking
<b>Mobility in Soil</b>	Material data lacking
<b>Other adverse effects</b>	Not available
<b>Other Information</b>	Not available

## Section 13 - Disposal Considerations

<b>Waste treatment methods</b>	
Collect spilled materials and place in sealed containers for disposal. Use clean up measures that minimize dust. Small quantities can be disposed of at landfill sites. Local authorities should be contacted about specific local requirements.	

## Section 14 - Transport Information

<b>Special precautions for user</b>	None specified
-------------------------------------	----------------

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Environmental Protection Agency – EPA					
CAS Number	Chemical Name	Sec. 302 (EHS) TPQ (in pounds) <sup>1</sup>	EHS RQ (in pounds) <sup>2</sup>	CERCLA Reportable Quantity (in pounds) <sup>3</sup>	Subject to Sec. 313 Reporting <sup>4</sup>
7782-42-5	Natural graphite	Not listed	Not listed	Not listed	Not listed
110-30-5	Stearic Wax (mixture)	not listed	not listed	not listed	not listed
9002-88-4	Olefin Wax	not listed	not listed	not listed	not listed
143-07-7	Fatty Acid Mixture	not listed	not listed	not listed	not listed
68153-22-0	Solid Saturated Hydrocarbons	not listed	not listed	not listed	not listed
64742-42-3	Petroleum Wax	not listed	not listed	not listed	not listed

# SAFETY DATA SHEET



- <sup>1</sup> The presence of EHSs in quantities in excess of the Threshold Planning Quantity (TPQ) requires certain emergency planning activities to be conducted. (Appendix B to 40 CFR 355)
- <sup>2</sup> Releases of reportable quantities (RQ) of EHSs are subject to state and local reporting under section 304 of SARA Title III (EPCRA). (40 CFR 302.4)
- <sup>3</sup> Releases of CERCLA hazardous substances, in quantities equal to or greater than their reportable quantity (RQ), are subject to reporting to the National Response Center under CERCLA. (Appendix A to 40 CFR 172.101)
- <sup>4</sup> Emissions, transfers, and waste management data for chemicals listed under section 313 must be reported annually as part of the community right-to-know provisions of SARA Title III (EPCRA) (40 CFR Part 372).

---

## Section 16 - Other Information

<b>Last revision date</b>	02 May 2019
<b>Preparation date</b>	29 April 2019

---

### Disclaimer/statement of liability

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

---